

DS-64i

Folder Inserter

Your Interactive Mail Assembly Specialist



www.neopost.ca

Join us on




NEOPOST
Send. Receive. Connect.

Your Mailroom Assistant

Automate your mail assembly with an intuitive, flexible folder-inserter

Companies are always looking for more efficient, productive and secure ways of streamlining the processing of their business-critical communications. Ideally suited for businesses that are searching for a solution to automate a wide variety of document sizes and types, the DS-64i folder-inserter will meet all company communication needs with ease.

Thanks to its best-in-class scanning technology, the DS-64i can read any type of coding to automate variable page assembly jobs to ensure the right documents are always sent to the right person. The DS-64i includes our flexFeed® multi-format feeding technology to allow you to process all document sizes including inserts, reply forms and return envelopes from a single tray.

Automated Document Preparation

Neopost's optional Output Management Software (OMS) adds significant value by enhancing the formatting, personalization, grouping, printing, barcoding, and addressing of your documents. OMS works seamlessly together with the DS-64i operating system to accurately assemble personalized mail runs and jobs with a varying quantity of documents per envelope. Merge different documents for the same customer into one envelope to save money on postage costs.

Expand Your Mailing Process

To take your growing business further, the DS-64i is available for upgrade with a Professional Package license key. With the DS-64i Professional Package, you will enjoy increased assembly speeds, folding capacity, multi-sheet feeding capacity and increased monthly maximum assembly volumes.



Guaranty the Accuracy of Your Mail Assembly Process

Utilizing full-page Contact Image Sensor (CIS) scanning technology, the DS-64i can read any type of coding including optical mark, optical character, and 1D and 2D matrix barcodes. Because the scanner reads the entire area of a page, codes can be printed anywhere on the document and can be read horizontally or vertically. This ensures your multi-page jobs are assembled correctly, everytime.



DS-64i

1. High-Capacity Vertical Stacker
Preserves printing order and holds up to 325 finished mail pieces, so operators spend less time unloading.

2. Touchscreen Display
The DS-64i's 7-inch touchscreen and wizard-based navigation make system operation simple and easy to use

3. CIS Scanning
Ensures the right documents are inserted into the right envelope, every time.

4. Feeders
Continuous operation is achieved by linking feeders. If one feeder runs empty, another one automatically takes over, allowing you to refill on-the-fly as needed until your job is complete.

Business Impact



Revenue Growth

Maximize opportunities to better communicate with customers



Customer Engagement

Target specific audiences with inserts to expand 1:1 customer engagement



Risk Mitigation

Ensure that every recipient receives the right mail piece



Expense Control

Maximize productivity thanks to speed, reliability and content accuracy

Specifications

Processing speed	Up to 2,500 env./hour	Envelope height	90 to 162 mm; 3.5" to 6.38"
7" Color touch screen	Standard	Short feeders	Automatic or glossy materials
Automatic settings	Standard	MaxiFeeder	BRE's and inserts
FlexFeed multi-format feeder	Standard	Maximum set thickness	2 mm
Multi-sheet feeding	Standard & up to 10 sheets	Accumulate before folding	Standard
Cascade from all feeders	Standard	Tip-to-tip sealing	Standard
Feeder configurations	1/1.5/2/2.5 stationer	Mail Assembly	
Full page scanning	Standard	ID and 2D Barcode Reader (BCR)	Standard
Job memories	50	Optical Mark Reader (OMR)	Standard
Manual feed	Standard	Optical Character Recognition (OCR)	Standard
Exit options	catch tray/HCVS/side exit	Document loading detection	Standard
Feeder capacity	Up to 325 sheets (80g/m ²)	Output Management Software (OMS)	Standard
Inserts capacity	Up to 1,200 with Maxi Feeder (A5, 80g)	Connectivity	
Fold types	V-fold, C-fold, Z-fold, Double V-fold, no fold	LAN embedded	Standard
Noise level	64.8 dBA to 67.8 dBA	Wi-Fi embedded	Standard
Paper width	130 to 230 mm; 5.1" to 9.3"	Remote Assistance	Standard
Paper height	90 to 356 mm; 3.5" to 14"	Remote Diagnostics	Standard
Envelope width	160 to 248 mm; 6.3" to 9.7"	Mail'n Ship Station Interface	Standard

We've Got You Covered

When it comes to operating and maintaining the productivity tools your invested in, Neopost is right by your side to keep your communications flowing at a price you can afford. DocuCare is a selection of service packages for Neopost Mail Assembly Systems. Each package is designed to meet a service standard that you're comfortable with and give you peace of mind knowing that Neopost is the right partner for your business.

We guarantee to keep your mail assembly system operating smoothly and efficiently.

About Neopost

NEOPOST is a global leader in digital communications, shipping and mail solutions. Its mission is to help companies improve their interactions with their clients and partners. Neopost provides the most advanced solutions for physical mail processing (mailing systems and folders-inserters), digital communications management (Customer Communications Management and Data Quality applications), and supply chain and e-commerce process optimization (from point of sale to delivery, including associated tracking services).

With a direct presence in 29 countries and nearly 5,800 employees, Neopost reported annual revenue of €1.1 billion in 2017. Its products and services are sold in over 90 countries.

Neopost is listed in compartment A of Euronext Paris and belongs to the SBF 120 index.

For more, go to/Visit neopost.ca

